

















| DETAILS | PRODUCTION / APPLICATION | CARE INSTRUCTIONS / ACCESSORIES |
|--|--|---|
| <p>Adheres to:</p> <ul style="list-style-type: none"> • 100% cotton • 100% uncoated polyester • Poly/cotton blends • Leather <p>Blade: 45°/60° Composition: PU Microns/Mils: 90/3.5</p>  | <ul style="list-style-type: none"> • Cut in reverse • Weed • Preheat garment for 2-3 seconds <ul style="list-style-type: none"> • Temperature: 305° F/150° C • Pressure: Medium • Time: 10-15 seconds • Peel HOT or COLD <p>For best performance, cover and reheat for 2-3 seconds</p> | <ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm with mild detergent • Do not bleach • Do not dry clean • Dry at normal setting • Iron friendly <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p> |
| <p>Adheres to:</p> <ul style="list-style-type: none"> • 100% uncoated polyester • Poly/cotton blends • Lightly siliconed nylon • Leather <p>Blade: 45°/60° Composition: PU Microns/Mils: 85/3.5</p>  | <ul style="list-style-type: none"> • Cut in reverse • Weed • Preheat garment for 2-3 seconds <ul style="list-style-type: none"> • Temperature: 320° F/160° C • Pressure: Light-Medium • Time: 10 seconds • Peel HOT or COLD <p>For best performance, cover and reheat for 2-3 seconds</p> | <ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm with mild detergent • Do not bleach • Do not dry clean • Dry at normal setting • Iron friendly <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p> |
| <p>Adheres to:</p> <ul style="list-style-type: none"> • 100% cotton • 100% uncoated polyester • Poly/cotton blends • Leather • Sublimated polyester <p>Blade: 45°/60° Composition: PU Microns/Mils: 90/3.5</p>  | <ul style="list-style-type: none"> • Cut in reverse • Weed • Preheat garment for 2-3 seconds <ul style="list-style-type: none"> • Temperature: 305° F/150° C • Pressure: Medium • Time: 15 seconds • Peel HOT or COLD <p>For best performance, cover and reheat for 2-3 seconds</p> | <ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm with mild detergent • Do not bleach • Do not dry clean • Dry at normal dryer setting • Iron friendly <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p> |
| <p>Adheres to:</p> <ul style="list-style-type: none"> • 100% cotton • 100% uncoated polyester • Poly/cotton blends • Lycra®/spandex • Leather <p>Blade: 45°/60° Composition: PU Microns/Mils: 90/3.5</p>  | <ul style="list-style-type: none"> • Cut in reverse • Weed • Preheat garment for 2-3 seconds <ul style="list-style-type: none"> • Temperature: 305° F/150° C • Pressure: Medium-Firm • Time: 15 seconds • Peel HOT or COLD <p>For best performance, cover and reheat for 2-3 seconds</p> | <ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm with mild detergent • Do not bleach • Do not dry clean • Dry at normal dryer setting • Iron friendly <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p> |
| <p>Adheres to:</p> <ul style="list-style-type: none"> • 100% cotton • 100% uncoated polyester • Poly/cotton blends • Leather <p>Blade: 45°/60° Composition: PU Microns/Mils: 90/3.5</p>  | <ul style="list-style-type: none"> • Cut in reverse • Weed • Preheat garment for 2-3 seconds <ul style="list-style-type: none"> • Temperature: 305° F/150° C • Pressure: Medium • Time: 10-15 seconds • Peel HOT or COLD <p>For best performance, cover and reheat for 2-3 seconds</p> | <ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm with mild detergent • Do not bleach • Do not dry clean • Dry at normal setting • Iron friendly <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p> |
| <p>Adheres to:</p> <ul style="list-style-type: none"> • 10% cotton • 100% uncoated polyester • Poly/cotton blends • Leather <p>Blade: 45°/60° Composition: PVC Microns/Mils 160-190/6.3-7.5</p> | <ul style="list-style-type: none"> • Cut in reverse • Weed • Preheat garment for 2-3 seconds <ul style="list-style-type: none"> • Temperature: 305° F/150° C • Pressure: Medium • Time: 15 seconds • Peel COLD <p>For best performance, cover and reheat for 2-3 seconds</p> | <ul style="list-style-type: none"> • Wait 24 hours before first wash • Turn garment inside out • Machine wash warm with mild detergent • Do not bleach • Do not dry clean • Dry at normal dryer setting <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p> |

* Due to variances in the manufacturing process of fabrics, Siser highly recommends testing prior to production.

| | DETAILS | PRODUCTION / APPLICATION | CARE INSTRUCTIONS / ACCESSORIES |
|--|--|--|---|
|  | <p>Adheres to:</p> <ul style="list-style-type: none"> • 100% cotton • 100% uncoated polyester • Poly/cotton blends • Leather • Sublimated polyester <p>Blade: 45°/60° Composition: PVC Microns/Mils: 75/3.0</p>  | <ul style="list-style-type: none"> • Cut in reverse • Weed • Preheat garment for 2-3 seconds <ul style="list-style-type: none"> • Temperature: 305° F/150° C • Pressure: Medium • Time: 10-15 seconds • Peel COLD <p>For best performance, cover and reheat for 2-3 seconds</p> | <ul style="list-style-type: none"> • Wait 24 hours before first wash • Hand wash in cold water • Do not bleach • Do not dry clean • Hang item to dry <p><i>*Metallic is a unique product – cracking and delamination may occur after washing. Results are not predictable.</i></p> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p> |
|  | <p>Adheres to:</p> <ul style="list-style-type: none"> • 100% uncoated polyester • Poly/cotton blends • Lightly siliconed nylon • Leather <p>Blade: 45°/60° Composition: PVC Microns/Mils: 410/16.1</p>  | <ul style="list-style-type: none"> • Cut in reverse • Weed • Preheat garment for 2-3 seconds <ul style="list-style-type: none"> • Temperature: 305° F/150° C • Pressure: Medium • Time: 10-15 seconds • Peel COLD <p>For best performance, cover and reheat for 2-3 seconds</p> | <ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm / mild detergent • Do not bleach • Do not dry clean • Dry at normal setting • Turn garment inside out <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p> |
|  | <p>Adheres to:</p> <ul style="list-style-type: none"> • 100% cotton • 100% uncoated polyester • Poly/cotton blends • Leather • Sublimated polyester <p>Blade: 45°/60° Composition: PVC Microns/Mils: 410/16.1</p> | <ul style="list-style-type: none"> • Cut in reverse • Weed • Preheat garment for 2-3 seconds <ul style="list-style-type: none"> • Temperature: 320° F/160° C • Pressure: Medium • Time: 15-20 seconds • Peel COLD <p>For best performance, cover and reheat for 2-3 seconds</p> | <ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm with mild detergent • Do not bleach • Do not dry clean • Dry at normal dryer setting • Iron friendly <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p> |
|  | <p>Adheres to:</p> <ul style="list-style-type: none"> • 100% cotton • 100% uncoated polyester • Poly/cotton blends • Lycra®/spandex • Leather <p>Blade: 45°/60° Composition: PU Microns/Mils: 135-180/5.3-7.1</p>  | <ul style="list-style-type: none"> • Remove liner • Cut in reverse • Weed • Preheat garment for 2-3 seconds <ul style="list-style-type: none"> • Temperature: 305° F/150° C • Pressure: Medium • Time: 5 seconds • Peel WARM • Cover and apply for 5 additional seconds | <ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm with mild detergent • Do not bleach • Do not dry clean • Dry at normal dryer setting • Turn garment inside out <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p> |
|  | <p>Adheres to:</p> <ul style="list-style-type: none"> • 100% cotton • 100% uncoated polyester • Poly/cotton blends • Lightly siliconed nylon • Lycra®/spandex • Leather • Sublimated polyester <p>Blade: 60° Composition: PU Microns/Mils: 325/12.8</p>  | <ul style="list-style-type: none"> • Cut in reverse • Weed • Preheat garment for 2-3 seconds <ul style="list-style-type: none"> • Temperature: 320° F/160° C • Pressure: Firm • Time: 10-15 seconds • Peel HOT <p>Glitter can not be layered</p> | <ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm with mild detergent • Do not bleach • Do not dry clean • Dry at normal dryer setting • Iron friendly <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p> |
|  | <p>Adheres to:</p> <ul style="list-style-type: none"> • 10% cotton • 100% uncoated polyester • Poly/cotton blends • Leather <p>Blade: 45°/60° Composition: PVC Microns/Mils 110/4.3</p>  | <ul style="list-style-type: none"> • Cut in reverse • Weed • Preheat garment for 2-3 seconds <ul style="list-style-type: none"> • Temperature: 320° F/160° C • Pressure: Firm • Time: 10-15 seconds • Peel COLD <p>For best performance, cover and reheat for 2-3 seconds</p> | <ul style="list-style-type: none"> • Wait 24 hours before first wash • Turn garment inside out • Machine wash warm with mild detergent • Do not bleach • Do not dry clean • Dry at normal dryer setting <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p> |

* Due to variances in the manufacturing process of fabrics, Siser highly recommends testing prior to production.